


CONFERENCE TABLE

CONFERENCE SYSTEM



FURSYS



Share your thinking.

+ Contents

- ... VIM
- ... VCM
- ... CRX
- ... FRX
- ... CR2
- ... CR6
- ... SR0
- ... CRN1
- ... CRN3
- ... UCR3



CONFERENCE TABLE / VIM

Design
So simple &
practical, even
the walls are
talking about it.

—
VIM

... Versatile
... Interaction
... Modules



• Conference



• Group Meeting

• Education & Presentation

Folding Table

In addition to folding mechanism and casters for better space efficiency with easy mobility and usability, the tables in this series help users to create upgraded communication space with their elegant materials and funtions.



Folding table : CRN5007M



Versatile Board, White Board & Coat Rack

The multi-purpose board can be used as for various occasions such as a screen to block others views in work and as a magnet board to attach the prints for presentation. Two types are available; independent type and connecting type. The upgraded white board and coat rack are all for creating distinguished communication space.



White board : CRN519B
Pin board (Self Supporting type) : CRN529F
Coat rack : CRN529H




Wagon : CRN505W
Podium : CRN505T

Podium & Wagon

For better mobility, casters are attached on the wagon as well while for rear base, gliders will support the wagon from moving during the lecture or conference.

Layout

Innovate your communication space... **VIM**



Versatile Interaction

VIM components include tables, podia, wagons and boards. Easily stored and moved, these components can be arranged to suit any communication venue. Experience VIM, designed for effective communication exchanges and efficient space utilization.

Space Interaction


Diverse communication activities-meetings, presentations, training, group discussions-can occur unexpectedly or irregularly. Rapid, flexible reconfiguration of one space is more economical than having multiple spaces designated for separate purposes.



Information Interaction

The importance of intra-organizational communication continues to grow as corporations become more specialized and decentralized. Data exchanges among individuals and work teams create significant information needed to grow the company as a whole.

Detail



Folding Table

1. Tug lightly on the lock handle and the gas spring will gently lift the tabletop.
2. The casters are a blend of tenacious nylon and smooth urethane to provide the best of both worlds. They glide over carpet (or other floor surfaces) like hard casters do, while damping noise and vibration in the manner of soft casters.
3. A connecting device on the underside of the tabletop will secure adjoining tables.
4. Connected to the post are two legs that spread apart in a V shape to prop up the tables when stacked upright. Thus, the table design is functionally efficient as well as simple and aesthetically appealing.
5. The modesty panel is made of high-grade ABS, lightening the table and offering an un-restrained feel.


Mobile Work Tool

1. The classy podium along with the mobile wagon for holding various training aids will boost communication effectiveness. The podium is mounted on casters for better mobility, and supports are attached to the base to keep the podium from moving while in use.
2. The acrylic modesty panel on the podium front is curved for a softer, more elegant look.
3. The triple-shelf wagon is a handy way to organize and move various training aids such as a projector.
4. The whiteboard is covered with highgrade ceramic on both sides. The surface has excellent durability and wipes completely clean of marker traces. The board slants at six different angles to provide just the right position for specific requirements.
5. All boards are magnetized and can be used to post various items during meetings or presentations.
6. Special connectors are used to link the boards on either side.
7. The coat rack (CA5001, ordered separately) helps to keep the meeting area well ordered.

Item List


Folding table **CRN5007M**

VB/WW/BE
720 · 565 · 730(1190)
29" · 23" · 29"(47")




Pin bard **CRN529F** (Self supporting type)

881/883/884A/885
1200 · 650(120) · 1900
48" · 26" (4½" · 75")




Pin board **CRN5109C** (Connecting type)

881/883/884A/885
1000 · 40 · 1900
40" · 1½" · 75"




Podium **CRN505T**

VB/WW/BE
540(565) · 485 · 1100(1160)
22"(23") · 19" · 44"(46")




Wagon **CRN505W**

VB/WW/BE
540(560) · 520 · 1005(1080)
22"(22") · 21" · 40"(43")




White board **CRN519B**

WH
1100 · 650(120) · 1900
44" · 26" (4½" · 75")



Coat rack **CRN529H**

TS
1200 · 650(120) · 1900
48" · 26" (4½" · 75")



'07 Good
Design
Award



'06 Ergonomic
Design
Award



'07 Australian
Design
Award



'06 Design
For Asia
Award



'08 Korea
Industrial
Design Award



Greenguard
Environmental
Institute

Table & wagon




Board



Coat rack






CONFERENCE TABLE / VCM

VCM : Maximum
versatility + mobility
on
all
materials
period.

—
VCM



Versatile Modules for Various Occasions

The multi-task conference system "VCM(Versatile Conference Modules)" is a new product for the efficient use of a workspace. It has been developed to adapt to the new and varying tasks of conference spaces while providing ease in use, mobility, and flexibility.

Folding Table

All items are lightweight, mobile and with a folding mechanism enabling them to be stacked for easy storage and to maximize space. Their simple and smart design provide comfortable and productive working environment.



Folding table : CR9006

Pin Board, Screen & White Board

There are various screens available for your meeting requirements. Once again these screens are mobile and may be nestable for easy storage, and come in a range of finishes. The screens may be joined together using the attached connectors.



Wagon : CR9006W
Podium : CR9006T

Podium & Wagon

Unit CR9006T/W provides a convenient lectern for use by the speaker.


— — — —
layout

No more fixed meeting rooms!

Presentations, lectures, seminars, discussions, team projects, exchanging ideas and more!

From now on, various kinds of meeting activities can be conducted all in one place.


■ Education



■ Group Meeting



■ Conference



■ Presentation




Detail



Folding Table & Folding Chair

1. One touch folding mechanism.
2. A one-touch folding mechanism enables the table to be easily stacked without taking much space, and helps users to maximize their workspace.
3. Pencil grooves on the compact melamine top surface.
4. Attached modesty panels protect an individual privacy.




Mobile Work Tool

1. Easy to keep equipment with height adjustable shelves.
2. A handle for easy - moving.
3. A shelf for a simple & easy storage.
4. Self - connectors at the upper and the lower make the boards easy to assemble and disjoint.
5. Magnetic screen board.
6. Double - sided fabric pin board.

Item List


Folding table CR9006

BE/LG
630 · 490(520) · 720(1040)
25" · 20"(21") · 29"(41")




Pin board(Fabric) CR9098

881/883/884A/885
920 · 530 · 1800
37" · 21" · 71"




Podium CR9006T

BE/LG
590 · 480(550) · 1000(1100)
24" · 19"(22") · 40"(44")




Screen(Steel) CR9098S

MM
920 · 530 · 1800
37" · 21" · 71"



Wagon CR9006W

BE/LG
590 · 480(550) · 1000(1100)
24" · 19"(22") · 40"(44")



White board CR9098B

WH
920 · 530 · 1800
37" · 21" · 71"




Table & Wagon




Screen



Board



Screen



(Pin board)



(White board)



'01 Good
Design
Award



'02 Japan
Good Design
Award



'01 Korea
Industrial
Design Award



The 3rd Korea
Millennium
Product Award




Greenguard
Environmental
Institute

High Quality
Veneer = CRX

.


Infinite layout
composition = CRX



CRX



Detail




Conference Table System

1. The linear aluminum moldings are involved in wire management.
2. The aluminum die casting legs provide its users a height-adjusting function and ensure enough space for the user's knees.
3. The structure of sharing one side panel between two work surfaces creates a simple design.
4. When laid out in a "U", the ensemble can be topped off with end panels in a matching finish.
5. The uniquely designed horizontal and vertical ducts effectively manage all the wires from the various OA equipment.
6. The insert rail at the bottom of the table helps to open the back side of the table with ease.

Layout

Outside dimensions are based on space requirements for each layout and included 1200mm for seating and aisles space around the table.




Item List

Side panel
ZR0000(2EA)
(Connecting type)

ZR0000S(1EA)
(Connecting type)

BK
690 · 490 · 55
28" · 20" · 2 1/8"



Side panel
ZR0100
(End type)

AN/AW/AR/NW/AGL/
AWL/ARL
735 · 755 · 55
29" · 30" · 2 1/8"




Corner table
ZR0587(87.5°)

AN/AW/AR/NW/AGL/
AWL/ARL
800 · 800 · 740
32" · 32" · 30"
(4-Hole powerstripe 1EA)




Corner table
ZR0590(90°)

AN/AW/AR/NW/AGL/
AWL/ARL
800 · 800 · 740
32" · 32" · 30"



Rectangular table
ZR008

AN/AW/AR/NW/AGL/AWL/ARL
800 · 750 · 740
32" · 30" · 30"
(4-Hole powerstripe 1EA)



ZR012


AN/AW/AR/NW/AGL/AWL/ARL
1200 · 750 · 740
48" · 30" · 30"
(4-Hole powerstripe 1EA)

ZR016

AN/AW/AR/NW/AGL/AWL/ARL
1600 · 750 · 740
63" · 30" · 30"
(4-Hole powerstripe 2EA)

ZR024

AN/AW/AR/NW/AGL/AWL/ARL
2400 · 750 · 740
95" · 30" · 30"
(4-Hole powerstripe 3EA)




'07 Good
Design
Award



'07 Australian
Design
Award



Greenguard
Environmental
Institute



Connecting type
side panel

Veneer + UV coating



Laminate + UV coating





CONFERENCE TABLE / FRX

Blend in
comfort & refreshing
conference
atmosphere
and you get FRX.

—
FRX



**The FRX series Blends Straight
and Curved Lines in a Minimalist Style.**

The FRX series comes in two basic types: combining and freestanding. The former allows you to configure your layouts freely with a variety of tabletop options, while the latter is designed to optimize the utility of smaller conference rooms. The FRX conference system provides you with exceptional flexibility.





Detail



■ Combining & freestanding Type

Oval-shape

1. The oval-shaped layout and tabletop is aesthetically pleasing and naturally focuses participants' attention during discussions, for enhanced communication.

■ Combining Type

Freestanding module

3. The freestanding modules allow free use of the inside space when the modules are configured in a enclosed layout.

■ Freestanding Type

Open space underneath

5. Fursys'unique TDC(three-dimensional cell) configuration tightly joins the tabletop with the upper end of the frame. The horizontal frame at the lower end of the frame is abbreviated to ensure unrestricted leg room for users.

Sophisticated lower leg

2. The gently curved vertical pipes and slim base connect naturally at an oblique angle to project a cubic, modern feel.

Shared leg

4. One leg covers two tabletop units for a simple design that eliminates overlaps for greater efficiency and economy.

Wide and convenient wiring duct

6. The wiring ducts are simply designed, and the cover opens and closes effortlessly to facilitate the task of laying out the wiring.

*Each set of electric cord includes a 3 (+1) outlet and modular plate.



■ Common Item

Fabric modesty panel

7. The unconventional fabric modesty panels are available in an assortment of colors, and the corners have been rounded off for an enhanced appearance. The fabric is easily removed for cleaning or replacement.

End modesty panel

8. The end modesty panel ensures personal privacy when the conference modules are configured in a Open-ended layout.

Horizontal/Vertical wiring duct

10. The ducts are a neat and easy way to connect and lay out the necessary wiring to support your conference activities. The horizontal ducts provide plenty of space to accommodate the outlet.

*Sold separately.

Outlet

9. Each unit consists of two sockets and two LAN ports. A clamp facilitates installation and removal for maximum user convenience.

*Sold separately.

Storage unit


11. The drawer chest, projector wagon, and catering wagon all come with handles and casters for easy mobility. The handles feature an aluminum finish and the perpendicular frame is neatly assembled with no bolts visible.

Layout - Combining type (Curved configuration)


- The dimensions refer to the floor space needed to accommodate each conference system. They include a 1,200mm wide access space around the periphery.
- Individual modules may not be used alone; they must be combined together.
- The combined conference system is always laid out in a counterclockwise direction.

Point Module - Curved shape / W1785(5'11")

- Enclosed layout




The freestanding module is only used when needed with the enclosed layout.




Point Module - Curved shape / W1705(5'8")

- Enclosed layout



The freestanding module is only used when needed with the enclosed layout.



Freestanding module Starter Adder



Ender Point module



Item List - Combining type (Curved configuration)

Freestanding Module

Curved shape



1. CAR217(H)

1700 · 785 · 720(745)
67" · 31" · 29"(30")

Starter

Curved shape



2. CAR217S(H)

1700 · 785 · 720(745)
67" · 31" · 29"(30")

Ender

Curved shape



3. CAR221SL(H)

2080 · 795 · 720(745)
82" · 32" · 29"(30")

Point Module

Curved shape



7. CAR217E(H)

1700 · 785 · 720(745)
67" · 31" · 29"(30")



8. CAR221ER(H)

2080 · 795 · 720(745)
82" · 32" · 29"(30")

Adder

Curved shape



4. CAR217A(H)

1700 · 785 · 720(745)
67" · 31" · 29"(30")



5. CAR221AL(H)

2080 · 795 · 720(745)
82" · 32" · 29"(30")




6. CAR221AR(H)

2080 · 795 · 720(745)
82" · 32" · 29"(30")


Point Module

Curved shape



9. CAR218BA(H)

1785 · 750 · 720(745)
71" · 30" · 29"(30")



10. CAR217BA(H)

1705 · 750 · 720(745)
68" · 30" · 29"(30")




Layout - Combining type (Straight-line configuration)


- The dimensions refer to the floor space needed to accommodate each conference system. They include a 1,200mm wide access space around the periphery.
- Individual modules may not be used alone; they must be combined together.
- The combined conference system is always laid out in a counterclockwise direction.
- The corner shape module only connects with the rectangular shape module.
- Among the adders, the rectangular shape module may also be used as a point module.

Point Module - Trapezoid shape

- Enclosed layout




The freestanding module is only used when needed with the enclosed layout.




Point Module - Rectangular shape

- Enclosed layout



The freestanding module is only used when needed with the enclosed layout.



Freestanding module	Starter	Adder
---------------------	---------	-------

• Rectangular shape	• Trapezoid shape	• Rectangular shape	• Corner SHAPE	• Trapezoid shape		• Rectangular shape	• Corner shape	• Trapezoid shape	• Rectangular shape	• Corner shape	• Trapezoid shape	• Rectangular shape
1. CAR108(H) 2. CAR112(H) 3. CAR116(H)	4. CAR322SL(H)	5. CAR116S(H)	6. CAR590S(H)	7. CAR322AL(H)	8. CAR322AR(H)	9. CAR108A(H) 10. CAR112A(H) 11. CAR116A(H)	12. CAR590A(H)	13. CAR322ER(H)	14. CAR116E(H)	15. CAR590E(H)	16. CAR319BA(H)	9. CAR108A(H) 10. CAR112A(H) 11. CAR116A(H)

Item List - Combining type (Straight-line configuration)

Freestanding Module

Rectangular shape



800 32°
750 30°

1. CAR108(H)

800 · 750 · 720(745)
32" · 30" · 29"(30")

2. CAR112(H)


1200 · 750 · 720(745)
48" · 30" · 29"(30")

3. CAR116(H)

1600 · 750 · 720(745)
63" · 30" · 29"(30")

Starter

Trapezoid shape



2165 86°
750 30°
1505 60°

4. CAR322SL(H)

2165 · 750 · 720(745)
86" · 30" · 29"(30")

Rectangular shape



1600 63°
750 30°

5. CAR116S(H)

1600 · 750 · 720(745)
63" · 30" · 29"(30")

Corner shape



860 34°
860 34°
750 30°

6. CAR590S(H)

860 · 860 · 720(745)
34" · 34" · 29"(30")

Ender

Trapezoid shape



2165 86°
750 30°
1505 60°

13. CAR322ER(H)

2165 · 750 · 720(745)
86" · 30" · 29"(30")

Rectangular shape



1600 63°
750 30°

14. CAR116E(H)

1600 · 750 · 720(745)
63" · 30" · 29"(30")

Corner shape



860 34°
750 30°

15. CAR590E(H)

860 · 860 · 720(745)
34" · 34" · 29"(30")

Adder

Trapezoid shape



2165 86°
750 30°
1505 60°

7. CAR322AL(H)

2165 · 750 · 720(745)

86" · 30" · 29"(30")

Rectangular shape



800 32°
750 30°

8. CAR322AR(H)

2165 · 750 · 720(745)

86" · 30" · 29"(30")

Corner shape



860 34°
860 34°
750 30°

9. CAR108A(H)

800 · 750 · 720(745)

32" · 30" · 29"(30")

10. CAR112A(H)

1200 · 750 · 720(745)

48" · 30" · 29"(30")

11. CAR116A(H)

1600 · 750 · 720(745)

63" · 30" · 29"(30")

Point Module

Trapezoid shape



1930 76°
750 30°
605 24°

16. CAR319BA(H)

1930 · 750 · 720(745)

76" · 30" · 29"(30")

Rectangular shape



800 32°
750 30°

9. CAR108A(H)

800 · 750 · 720(745)

32" · 30" · 29"(30")

10. CAR112A(H)

1200 · 750 · 720(745)

48" · 30" · 29"(30")

11. CAR116A(H)


1600 · 750 · 720(745)

63" · 30" · 29"(30")





Layout - Freestanding type

The dimensions refer to the floor space needed to accommodate each conference system. They include a 1,200mm wide access space around the periphery.




Item List - Freestanding type



Common Item List


For combining type

Modesty Panel




For all types

Storage Unit



Accessories

Outlet




4-hole




Vertical wiring duct



Horizontal wiring duct



The CR2
So modularized,
accepting
all layouts
in
all arrangements.



CONFERENCE TABLE / CR2





Detail




Conference Table System

1. The CR2 series will provide you with elegant conference environment using the harmoniously colored work surfaces with a stable base of black veneer, the color combination used for the Fursys executive series.
2. Wires can be arranged and concealed tidily, using the wire management ducts when installing various devices like microphones or telephones.

Layout

Dimensions include aisle space 800mm. Outside dimensions are based on space requirements for each layout and include 1200mm for seating and aisle space around the table.



Item List

Side panel CR2000(2EA) (Connecting type)		Corner table CR2590N SW/MC/BE 800 x 800 x (720) 32" x 32" x (29")	
CR2000S(1EA) (Connecting type)			
CR2000E (End type)			
Rectangular table CR2008N (Connecting type)		CR2008E (End type)	
CR208F (Freestanding type)		CR2016N (Connecting type)	
		CR2016E (End type)	

Small
medium
large
X - large
Your conference room
order, sir?



CONFERENCE TABLE / CR6

CR6



Detail



Freestanding Conference Table

1. The electrical wire duct is handy and well-organized. Various plugs are available in the middle of the tabletop, while the connecting wires are neatly stowed out of sight.
2. A separate vertical duct (CA3500) neatly links the table to the floor.
3. CR6 with refined design can be used widely from small meeting rooms to large conference rooms. Edges of CR6 are finished with neat and fine 3D edges.
4. Legs with harmonious silver color and chrome finish will add on its beauty.

Item List


A: with wire duct

B: with wire duct including power strip & modular plate

Rectangular table

**CR618 /
CR618A /
CR618B**

1800 · 900 · 720
71" · 36" · 29"




**CR624 /
CR624A /
CR624B**

2400 · 1200 · 720
95" · 48" · 29"




**CR632 /
CR632A /
CR632B**

3200 · 1200 · 720
126" · 48" · 29"




**CR640 /
CR640A /
CR640B**

4000 · 1200 · 720
150" · 48" · 29"



**CR648 /
CR648A /
CR648B**

4800 · 1200 · 720
189" · 48" · 29"



Round table

CR609



Ø900 · 720
Ø36" · 29"



Vertical wiring duct

CA3500

H: 825 (33")





CONFERENCE TABLE / SR0

SR0 mystery
So economical &
practical, but
it suits all office
environments.


SR0



ITEM LIST


Round table SR009N

MC/BE/MG
Ø900 · 720
36" · 29"




SR012N

MC/BE/MG
Ø1200 · 720
48" · 29"




Rectangular table SR118

MC/BE/MG
1800 · 900 · 720
71" · 36" · 29"




SR18

MC/BE/MG
1800 · 900 · 720
71" · 36" · 29"




SR024

MC/BE/MG
2400 · 1200 · 720
95" · 48" · 29"




SR024S

MC/BE/MG
2400 · 900 · 720
95" · 36" · 29"



SR032

MC/BE/MG
3200 · 1200 · 720
126" · 48" · 29"



Vertical wiring duct

CA3500

H: 825 (33")



Table
MC **BE** **MG**
Vertical
wiring duct
TS

Detail



Freestanding Conference Table

- There are several distinguishing features of 'SRO' series including the independent round and rectangular tables for a conference that is finished with the polyurethane edge.
- Wire management holes will accommodate equipment cables. 'SRO' series tables are ideal for small conference rooms.



'97 Good
Design
Award



'97 Korea
Industrial
Design Award



'02 Ergonomic
Design
Award



Greenguard
Environmental
Institute



CONFERENCE TABLE / CRN1

Multi-purpose
table CRN1,
Select and combine
to suit your space.

— — —
CRN1




Item List

Conference table

CRN106N


WW / LT / UA
600 · 600 · 720
24" · 24" · 29"



Dining table


CRN112

WW / LT / UA
Ø1200 · 720
48" · 29"




CRN114N

WW / LT / UA
1400 · 600 · 720
55" · 24" · 29"




CRN114

WW / LT / UA
1400 · 800 · 720
55" · 31" · 29"




CRN118N

WW / LT / UA
1800 · 600 · 720
71" · 24" · 29"



CRN118

WW / LT / UA
1800 · 800 · 720
71" · 24" · 29"



Detail



Conference/cafeteria table system series

1. Simple frame design and systematic structure ensures tables can be neatly combined without protrusions.
2. Turn gliders on bottom of legs to adjust height. Ensures that table can be installed horizontally on uneven surfaces.
3. Table corners come with rounded edges for safety. White colored surface comes with silver line edge for a unique look.

Easy folding,
convenient moves
& rearrangement.



—
CRN3



Detail




Folding Lecture Table

1. When not in use, these tables can be folded to reduce their volume and store easily.
They can be used not only as lecture tables, but also as conference tables.
2. With a one-touch folding mechanism using a gas cylinder, it can be easily converted with a lever.
3. Casters with stopper are attached to legs for easy rotation and rearrangement.
4. With four sides boasting a urethane molding edge finish, the result is a clean appearance with excellent durability.

Layout

Dimensions included aisles 800mm.


Outside dimensions are based on space requirements for each layout and included 1200mm For seating and aisle space around the table.



Item List


with Modesty panel CRN314

MC/BE/MG
1400 · 500 · 720
56" · 20" · 29"




CRN318

MC/BE/MG
1800 · 500 · 720
71" · 20" · 29"




without Modesty panel CRN324

MC/BE/MG
1400 · 500 · 720
56" · 20" · 29"




CRN328

MC/BE/MG
1800 · 500 · 720
71" · 20" · 29"



Simple and stylish
dining table
for
cafeteria.



—
UCR3




Item List

Table


UCR314

BE/MG/UM
1400 · 800 · 740
56" · 31" · 29"



UCR318Z

BE/MG/UM
1800 · 800 · 740
70" · 32" · 29"



Detail




Dining table

The rectangular surface and slim leg design will create the perfect simple and stylish dining table.

Chair


CH0017Z

430 · 411 · 839
17" · 16" · 33"



Artificial Leather





HEAD OFFICE
45 - 1 OGAEUM - DONG, SONGPA - GU, SEOUL 138 - 857, KOREA
TEL : 82 - 2 - 443 - 9999. FAX : 82 - 2 - 443 - 3812

SHOWROOM
45 - 3 OGAEUM - DONG, SONGPA - GU, SEOUL 138 - 857, KOREA
TEL : 82 - 2 - 406 - 9999. FAX : 82 - 2 - 406 - 6446



FURSYS